

UNITED STATES DISTRICT COURT  
SOUTHERN DISTRICT OF FLORIDA  
FORT LAUDERDALE DIVISION

CASE NO.:

HOWARD COHAN,

Plaintiff,

vs.

INJUNCTIVE RELIEF SOUGHT

R.G.H. Corporation  
a Florida Profit Corporation  
d/b/a LATIN AMERICAN GRILL

Defendant(s).

**COMPLAINT**

Plaintiff, HOWARD COHAN (“Plaintiff”), by and through the undersigned counsel, hereby files this Complaint and sues R.G.H. Corporation, a Florida Profit Corporation, d/b/a LATIN AMERICAN GRILL (“Defendant”), for declaratory and injunctive relief, attorneys’ fees, expenses and costs (including, but not limited to, court costs and expert fees) pursuant to 42 U.S.C. § 12182 et. seq., and the 2010 Americans with Disabilities Act (“ADA”) and alleges as follows:

**JURISDICTION AND VENUE**

1. This is a complaint for breach of contract and injunctive relief seeking enforcement of the (copy attached as Exhibit A) reached in the case of HOWARD COHAN v. R.G.H. Corporation, (S.D. Fla.) (dismissed by order upon settlement) which arose out of Plaintiff’s claim of discrimination caused by certain barriers encountered by Plaintiff on Defendant’s property that prevented Plaintiff from the full and equal enjoyment of a place of public accommodation in violation of Title II of the Americans with Disabilities Act.

2. This Court is vested with original jurisdiction over this action pursuant to 28 U.S.C. §§ 1331, 1343 for Plaintiff's claims arising under Title 42 U.S.C. § 12182 et. seq., based on Defendant's violations of Title III of the ADA. *See also*, 28 U.S.C. §§ 2201, 2202, as well as the 2010 ADA Standards.

3. Venue is proper in this Court, Fort Lauderdale Division, pursuant to 28 U.S.C. § 1391(B) and Internal Operating Procedures for the United States District Court For the Southern District of Florida in that all events giving rise to the lawsuit occurred in Broward County, Florida.

### **PARTIES**

4. Plaintiff, HOWARD COHAN is *sui juris* and is a resident of the State of Florida residing in Palm Beach County, Florida.

5. Upon information and belief, Defendant is the lessee, operator, owner and lessor of the Real Property, which is subject to this suit, and is located at 12683 Pines Blvd., Pembroke Pines, FL 33027, ("Premises"), and is the owner of the improvements where Premises is located.

6. Defendant is authorized to conduct, and is in fact conducting, business within the state of Florida.

7. Plaintiff is an individual with numerous permanent disabilities including severe spinal stenosis of the lumbar spine with spondylolisthesis; severe spinal stenosis of the cervical spine with nerve root compromise on the right side; a non-union fracture of the left acromion (shoulder); a labral tear of the left shoulder; a full thickness tear of the right rotator cuff; a right knee medial meniscal tear; a repaired ACL and bilateral meniscal tear of the left knee; and severe basal joint arthritis of the left thumb. The above listed permanent disabilities and symptoms cause sudden onsets of severe pain and substantially limit Plaintiff's major life activities. As such, Plaintiff suffered from a "qualified disability" under the ADA. 42 U.S.C § 12101, *et seq.*

8. On November 6, 2018 , Plaintiff visited Defendant's Premises. At the time of Plaintiff's visit to the Premises on November 6, 2018, Plaintiff required the use of fully accessible restrooms, fully accessible paths of travel throughout the facility, and the use of other means of accessibility for persons with disabilities. Plaintiff personally visited the Premises, but was denied full and equal access and full and equal enjoyment of the facilities, services, goods, and amenities within the Premises, even though he was a "bona fide patron".

9. Defendant's Premises is a public accommodation as defined by Title II of the ADA and as such is governed by the ADA.

10. On or about January 9, 2019, Plaintiff filed a lawsuit against Defendant seeking to force Defendant to comply with the ADA and applicable regulations thereto. See HOWARD COHAN v. R.G.H. Corporation, Case No.: 0:19-CV-60083-FAM (S.D. Fla.)

11. On or about March 18, 2019, Plaintiff's suit was dismissed upon stipulation and notice to the U.S. District Court that the parties had settled.

12. In connection with said dismissal, Plaintiff and Defendant entered into a Settlement Agreement (Exhibit A) on April 10, 2019.

13. The Settlement Agreement required Defendant to complete all modifications to the Premises by April 10, 2020.

14. Defendant failed to commence the required modification(s) to the Premises as required by the ADA and the Settlement Agreement and Defendant has failed to give notice of any reasons or documentation for non-compliance.

15. Plaintiff again personally visited Defendant's Premises on October 14, 2021, (and prior to instituting this action).

16. Plaintiff required the use of fully accessible restrooms, and fully accessible service and eating areas. Plaintiff was denied full and equal access and full and equal enjoyment of the facilities, services, goods, and amenities within the Premises, even though was “bona fide patron”.

17. On or about November 5, 2021, Plaintiff filed a second lawsuit against Defendant seeking to force Defendant to comply with the ADA and applicable regulations thereto, along with the Parties’ Settlement Agreement. See HOWARD COHAN v. R.G.H. Corporation, Case No.: 0:21-cv-62289-BB (S.D. Fla.)

18. On or about January 18, 2022, Plaintiff’s suit was dismissed upon stipulation and notice to the U.S. District Court that the parties had settled.

19. In connection with said dismissal, Plaintiff and Defendant entered into an Addendum to Settlement Agreement (Exhibit B) on January 5, 2022.

20. The Addendum to Settlement Agreement required Defendant to complete all modifications to the Premises by January 5, 2023.

21. Defendant failed to commence the required modification(s) to the Premises as required by the ADA, the Settlement Agreement, and the Addendum to Settlement Agreement and Defendant has failed to give notice of any reasons or documentation for non-compliance.

22. Plaintiff again personally visited Defendant’s Premises on March 15, 2023, (and prior to instituting this action).

23. Plaintiff required the use of fully accessible restrooms, and fully accessible service and eating areas. Plaintiff was denied full and equal access and full and equal enjoyment of the facilities, services, goods, and amenities within the Premises, even though was “bona fide patron”.

24. Plaintiff, in his individual capacity, has shown that he will absolutely return to the Premises and avail himself of the services offered when Defendant modifies the Premises or modifies the policies and practices to accommodate individuals who have physical disabilities.

25. Plaintiff is continuously aware of the violations at Defendant's Premises and is aware that it would be a futile gesture to return to the Premises as long as those violations exist, and Plaintiff is not willing to suffer additional discrimination.

26. Plaintiff has suffered, and will continue to suffer, direct and indirect injury as a result of Defendant's discrimination until Defendant is compelled to comply with the requirements of the ADA.

27. Plaintiff would like to be able to be a patron of the Premises in the future and be able to enjoy the goods and services that are available to the able-bodied public, but is currently precluded from doing so as a result of Defendant's discriminatory conduct as described herein. Plaintiff will continue to be precluded from using the Premises until corrective measures are taken at the Premises to eliminate the discrimination against persons with physical disabilities.

28. Completely independent of the personal desire to have access to this place of public accommodation free of illegal barriers to access, Plaintiff also acts as a "tester" for the purpose of discovering, encountering and engaging discrimination against the disabled in public accommodations. When acting as a "tester", Plaintiff employs a routine practice. Plaintiff personally visits the public accommodation; engages all of the barriers to access, or at least of those that Plaintiff is able to access; tests all of those barriers to access to determine whether and the extent to which they are illegal barriers to access; proceeds with legal action to enjoin such discrimination; and subsequently returns to Premises to verify its compliance or non-compliance with the ADA and to otherwise use the public accommodation as members of the able-bodied

community are able to do. Independent of other subsequent visits, Plaintiff also intends to visit the Premises regularly to verify its compliance or non-compliance with the ADA, and its maintenance of the accessible features of Premises. In this instance, Plaintiff, in Plaintiff's individual capacity and as a "tester", visited Premises, encountered barriers to access at Premises, and engaged and tested those barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury as a result of the illegal barriers to access and the ADA violations set forth herein. It is Plaintiff's belief that said violations will not be corrected without Court intervention, and thus Plaintiff will suffer legal harm and injury in the near future.

29. Plaintiff, in his capacity as a tester, will absolutely return to the Premises when Defendant modifies the Premises or modifies the policies and practices to accommodate individuals who have physical disabilities to confirm said modifications have been completed in accordance with the requirements of the ADA.

**COUNT I**  
**VIOLATIONS OF THE AMERICANS WITH DISABILITIES ACT**

30. Plaintiff adopts and re-alleges the allegations stated in paragraphs 1 through 29 above as if fully stated herein.

31. On July 26, 1990, Congress enacted the Americans With Disabilities Act ("ADA"), 42 U.S.C. § 12101 et. seq. Commercial enterprises were provided one and a half (1.5) years from enactment of the statute to implement its requirements. The effective date of Title III of the ADA was January 26, 1992, or January 26, 1993 if Defendant(s) have ten (10) or fewer employees and gross receipts of \$500,000.00 or less. *See* 42 U.S.C. § 12182; 28 C.F.R. § 36.508(a).

32. Congress found, among other things, that:

- a. some 43,000,000 Americans have one or more physical or mental disabilities, and this number shall increase as the population continues to grow older;

- b. historically, society has tended to isolate and segregate individuals with disabilities and, despite some improvements, such forms of discrimination against disabled individuals continue to be a pervasive social problem, requiring serious attention;
- c. discrimination against disabled individuals persists in such critical areas as employment, housing, public accommodations, transportation, communication, recreation, institutionalization, health services, voting and access to public services and public facilities;
- d. individuals with disabilities continually suffer forms of discrimination, including outright intentional exclusion, the discriminatory effects of architectural, transportation, and communication barriers, failure to make modifications to existing facilities and practices. Exclusionary qualification standards and criteria, segregation, and regulation to lesser services, programs, benefits, or other opportunities; and,
- e. the continuing existence of unfair and unnecessary discrimination and prejudice denies people with disabilities the opportunity to compete on an equal basis and to pursue those opportunities for which our country is justifiably famous, and accosts the United States billions of dollars in unnecessary expenses resulting from dependency and non-productivity.

42 U.S.C. § 12101(a)(1)-(3),(5) and (9).

33. Congress explicitly stated that the purpose of the ADA was to:

- a. provide a clear and comprehensive national mandate for elimination of discrimination against individuals with disabilities;

- b. provide clear, strong, consistent, enforceable standards addressing discrimination against individuals with disabilities; and
- c. invoke the sweep of congressional authority, including the power to enforce the fourteenth amendment and to regulate commerce, in order to address the major areas of discrimination faced on a daily basis by people with disabilities.

U.S.C. § 12101(b)(1)(2) and (4).

34. Pursuant to 42 U.S.C. § 12182(7), 28 C.F.R. § 36.104 and the 2010 ADA Standards, Defendant's Premises is a place of public accommodation covered by the ADA by the fact it provides services to the general public and must be in compliance therewith.

35. Defendant has discriminated and continues to discriminate against Plaintiff and others who are similarly situated, by denying access to, and full and equal enjoyment of goods, services, facilities, privileges, advantages and/or accommodations located at the Premises, as prohibited by 42 U.S.C. § 12182 and 42 U.S.C. § 12101 et. seq., and by failing to remove architectural barriers pursuant to 42 U.S.C. § 12182(b)(2)(A)(iv).

36. Plaintiff has visited Premises on multiple occasions, and has been repeatedly denied full and safe equal access to the facilities and therefore suffered an injury in fact.

37. Plaintiff would like to return and enjoy the goods and/or services at Premises on a spontaneous, full and equal basis. However, Plaintiff is precluded from doing so by the Defendant's failure and refusal to provide disabled persons with full and equal access to their facilities. Therefore, Plaintiff continues to suffer from discrimination and injury due to the architectural barriers that are in violation of the ADA.

38. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice, Officer of the Attorney General promulgated Federal Regulations to implement the



requirements of the ADA. *See* 28 C.F.R. § 36 and its successor the 2010 ADA Standards ADA Accessibility guidelines (hereinafter referred to as “ADAAG”), 28 C.F.R. § 36, under which said Department may obtain civil penalties of up to \$55,000.00 for the first violation and \$110,000.00 for and subsequent violation.

39. Based on a preliminary inspection of the Premises, Defendant is in violation of 42 U.S.C. § 12182 et. seq. and the 2010 American Disabilities Act Standards et. seq., and is discriminating against Plaintiff as a result of, inter alia, the following specific violations:

**Men's Restroom First Entry**

- a. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.

**Men's Restroom General**

- b. Providing a gate or door with a continuous opening pressure of greater than 5 lbs. exceeding the limits for a person with a disability in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.9 and 309.4.
- c. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.
- d. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.
- e. Failure to provide soap dispenser at the correct height above the finished floor in violation of 2010 ADAAG §§ 606, 606.1 and 308.

- f. Failure to provide proper knee clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1 306.3, 606 and 606.2
- g. Failure to provide proper toe clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1, 306.2, 306.2.1, 606 and 606.2.
- h. Failure to provide the correct opening width for a forward approach into a urinal, stall door or lavatory (sink) in violation of 2010 ADAAG §§ 305, 305.7.1, 404, 605.3 and 606.2

**Men's Restroom Accessible Stall**

- i. Failure to provide operable parts that are functional or are in the proper reach ranges as required for a person with a disability in violation of 2010 ADAAG §§ 309, 309.1, 309.3, 309.4 and 308.
- j. Failure to provide the proper insulation or protection for plumbing or other sharp or abrasive objects under a sink or countertop in violation of 2010 ADAAG §§ 606 and 606.5.
- k. Failure to provide the proper spacing between a grab bar and an object projecting out of the wall in violation of 2010 ADAAG §§ 609, 609.1 and 609.3.
- l. Providing grab bars of improper horizontal length or spacing as required along the rear or side wall in violation of 2010 ADAAG §§ 604, 604.5, 604.5.1 and 604.5.2.
- m. Failure to provide grab bars at 33 inches minimum and 36 inches maximum above the finished floor measured to the top of the gripping surface in violation of 2010 ADAAG §§ 609, 609.4 and 609.7.

- n. Failure to provide toilet paper dispensers in the proper position in front of the water closet or at the correct height above the finished floor in violation of 2010 ADAAG §§ 604, 604.7 and 309.4.
- o. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.
- p. Failure to provide proper signage for an accessible restroom or failure to redirect a person with a disability to the closest available accessible restroom facility in violation of 2010 ADAAG §§ 216, 216.2, 216.6, 216.8, 603, 703, 703.1, 703.2, 703.5 and 703.7.2.1.
- q. Failure to provide sufficient clear floor space around a water closet without any obstructing elements in this space in violation of 2010 ADAAG §§ 4.22.3, 603, 603.2.3, 604, 604.3 and 604.3.1.
- r. Failure to provide proper knee clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1 306.3, 606 and 606.2
- s. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.
- t. Failure to provide the correct height for a table surface or for a baby changing table, in violation of 2010 ADAAG §§ 902, 902.1, 902.2, 902.3, and/or § 4.32.4 of the 1991 ADA Standards.

- u. Providing counter heights exceeding 36 inches making it impossible to service a person with a disability in violation of 2010 ADAAG §§ 904, 904.4, 904.4.1, 904.4.2, 305 and 306.

**Restaurant Seating inside and outside**

- v. Failure to provide seating for a person(s) with a disability that has the correct clear floor space for forward approach in violation of 2010 ADAAG §§ 902, 902.2, 305 and 306.
- w. Failure to provide a sufficient amount of seating when dining surfaces are provided for the consumption of food or drink for a person(s) with a disability in violation of 2010 ADAAG §§ 226, 226.1, 902, 305 and 306.

40. To the best of Plaintiff's belief and knowledge, Defendant has failed to eliminate the specific violations set forth in paragraph 39 herein.

41. Although Defendant is charged with having knowledge of the violations, Defendant may not have actual knowledge of said violations until this Complaint makes Defendant aware of same.

42. To date, the readily achievable barriers and other violations of the ADA still exist and have not been remedied or altered in such a way as to effectuate compliance with the provisions of the ADA.

43. As the owner, lessor, lessee or operator of the Premises, Defendant is required to comply with the ADA. To the extent the Premises, or portions thereof, existed and were occupied prior to January 26, 1992, the owner, lessor, lessee or operator has been under a continuing obligation to remove architectural barriers at the Premises where removal was readily achievable, as required by 28 C.F.R. §36.402.

44. To the extent the Premises, or portions thereof, were constructed for occupancy after January 26, 1993 the owner, lessor, lessee or operator of the Premises was under an obligation to design and construct such Premises such that it is readily accessible to and usable by individuals with disabilities, as required by 28 C.F.R. §36.401.

45. Plaintiff has retained the undersigned counsel for the filing and prosecution of this action. Plaintiff is entitled to have his reasonable attorneys' fees, costs and expenses paid by Defendant, pursuant to 42 U.S.C. § 12205.

46. All of the above violations are readily achievable to modify in order to bring Premises or the Facility/Property into compliance with the ADA.

47. In instance(s) where the 2010 ADAAG standard does not apply, the 1991 ADAAG standard applies and all of the violations listed in paragraph 39 herein can be applied to the 1991 ADAAG standards.

48. Pursuant to 42 U.S.C. § 12188, this Court is vested with the authority to grant Plaintiff's injunctive relief, including an order to alter the subject facility to make them readily accessible to and useable by individuals with disabilities to the extent required by the ADA and closing the Subject Facility until the requisite modifications are completed.

WHEREFORE, Plaintiff demands judgment against Defendant and requests the following injunctive and declaratory relief:

1. That this Court declares that Premises owned, operated and/or controlled by Defendant is in violation of the ADA;
2. That this Court enter an Order requiring Defendant to alter their facilities to make them accessible to and usable by individuals with disabilities to the full extent required by Title III of the ADA;

3. That this Court enter an Order directing the Defendant to evaluate and neutralize their policies, practices and procedures toward persons with disabilities, for such reasonable time so as to allow the Defendant to undertake and complete corrective procedures to Premises;
4. That this Court award reasonable attorney's fees, all costs (including, but not limited to the court costs and expert fees) and other expenses of suit to the Plaintiff; and,
5. That this Court award such other and further relief as it may deem necessary, just and proper.

**COUNT II**  
**BREACH OF CONTRACT**

39. Plaintiff adopts and re-alleges the allegations stated in paragraphs 1 through 29 above as if fully stated herein.

40. On or about April 10, 2019, Plaintiff and Defendant entered into a Settlement Agreement and Release. [Exhibit A] Through this settlement agreement, Defendant agreed to make modifications to Defendant's Premises as outlined in the agreement. The Settlement Agreement required Defendant to complete all modifications to the Premises by April 10, 2020.

41. Plaintiff performed all conditions precedent to be performed by him under the Agreement.

42. Since April 10, 2020, Defendant failed to complete the modifications promised in the settlement agreement. Specifically, Defendant failed to

**I. Men's Restroom First Entry**

- a. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.

## **II. Men's Restroom General**

- a. Providing a gate or door with a continuous opening pressure of greater than 5 lbs. exceeding the limits for a person with a disability in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.9 and 309.4.
- b. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.
- c. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.
- d. Failure to provide soap dispenser at the correct height above the finished floor in violation of 2010 ADAAG §§ 606, 606.1 and 308.
- e. Failure to provide proper knee clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1 306.3, 606 and 606.2
- f. Failure to provide proper toe clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1, 306.2, 306.2.1, 606 and 606.2.
- g. Failure to provide the correct opening width for a forward approach into a urinal, stall door or lavatory (sink) in violation of 2010 ADAAG §§ 305, 305.7.1, 404, 605.3 and 606.2

### **III. Men's Restroom Accessible Stall**

- a. Failure to provide operable parts that are functional or are in the proper reach ranges as required for a person with a disability in violation of 2010 ADAAG §§ 309, 309.1, 309.3, 309.4 and 308.
- b. Failure to provide the proper insulation or protection for plumbing or other sharp or abrasive objects under a sink or countertop in violation of 2010 ADAAG §§ 606 and 606.5.
- c. Failure to provide the proper spacing between a grab bar and an object projecting out of the wall in violation of 2010 ADAAG §§ 609, 609.1 and 609.3.
- d. Providing grab bars of improper horizontal length or spacing as required along the rear or side wall in violation of 2010 ADAAG §§ 604, 604.5, 604.5.1 and 604.5.2.
- e. Failure to provide grab bars at 33 inches minimum and 36 inches maximum above the finished floor measured to the top of the gripping surface in violation of 2010 ADAAG §§ 609, 609.4 and 609.7.
- f. Failure to provide toilet paper dispensers in the proper position in front of the water closet or at the correct height above the finished floor in violation of 2010 ADAAG §§ 604, 604.7 and 309.4.
- g. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.

### **IV. Restaurant Seating inside and outside**

- a. Failure to provide seating for a person(s) with a disability that has the correct clear floor space for forward approach in violation of 2010 ADAAG §§ 902, 902.2, 305 and 306.



- b. Failure to provide a sufficient amount of seating when dining surfaces are provided for the consumption of food or drink for a person(s) with a disability in violation of 2010 ADAAG §§ 226, 226.1, 902, 305 and 306.

43. On or about January 5, 2022, Plaintiff and Defendant entered into an Addendum to Settlement Agreement. [Exhibit B] Through this Addendum, Defendant again agreed to make modifications to Defendant's Premises as outlined in the Addendum. The Addendum required Defendant to complete all modifications to the Premises by January 5, 2023.

44. Plaintiff performed all conditions precedent to be performed by him under the Addendum.

49. Since January 5, 2023, Defendant failed to complete the modifications promised in the Addendum. Specifically, Defendant failed to correct the following specific violations:

**Men's Restroom First Entry**

- a. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.

**Men's Restroom General**

- b. Providing a gate or door with a continuous opening pressure of greater than 5 lbs. exceeding the limits for a person with a disability in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.9 and 309.4.
- c. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.

- d. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.
- e. Failure to provide soap dispenser at the correct height above the finished floor in violation of 2010 ADAAG §§ 606, 606.1 and 308.
- f. Failure to provide proper knee clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1 306.3, 606 and 606.2
- g. Failure to provide proper toe clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1, 306.2, 306.2.1, 606 and 606.2.
- h. Failure to provide the correct opening width for a forward approach into a urinal, stall door or lavatory (sink) in violation of 2010 ADAAG §§ 305, 305.7.1, 404, 605.3 and 606.2

**Men's Restroom Accessible Stall**

- i. Failure to provide operable parts that are functional or are in the proper reach ranges as required for a person with a disability in violation of 2010 ADAAG §§ 309, 309.1, 309.3, 309.4 and 308.
- j. Failure to provide the proper insulation or protection for plumbing or other sharp or abrasive objects under a sink or countertop in violation of 2010 ADAAG §§ 606 and 606.5.
- k. Failure to provide the proper spacing between a grab bar and an object projecting out of the wall in violation of 2010 ADAAG §§ 609, 609.1 and 609.3.

- l. Providing grab bars of improper horizontal length or spacing as required along the rear or side wall in violation of 2010 ADAAG §§ 604, 604.5, 604.5.1 and 604.5.2.
- m. Failure to provide grab bars at 33 inches minimum and 36 inches maximum above the finished floor measured to the top of the gripping surface in violation of 2010 ADAAG §§ 609, 609.4 and 609.7.
- n. Failure to provide toilet paper dispensers in the proper position in front of the water closet or at the correct height above the finished floor in violation of 2010 ADAAG §§ 604, 604.7 and 309.4.
- o. Failure to provide mirror(s) located above lavatories or countertops at the proper height above the finished floor in violation of 2010 ADAAG §§ 603 and 603.3.
- p. Failure to provide proper signage for an accessible restroom or failure to redirect a person with a disability to the closest available accessible restroom facility in violation of 2010 ADAAG §§ 216, 216.2, 216.6, 216.8, 603, 703, 703.1, 703.2, 703.5 and 703.7.2.1.
- q. Failure to provide sufficient clear floor space around a water closet without any obstructing elements in this space in violation of 2010 ADAAG §§ 4.22.3, 603, 603.2.3, 604, 604.3 and 604.3.1.
- r. Failure to provide proper knee clearance for a person with a disability under a counter or sink element in violation of 2010 ADAAG §§ 306, 306.1 306.3, 606 and 606.2
- s. Providing a swinging door or gate with improper maneuvering clearance(s) due to a wall or some other obstruction in violation of 2010 ADAAG §§ 404, 404.1, 404.2, 404.2.4 and 404.2.4.1.

- t. Failure to provide the correct height for a table surface or for a baby changing table, in violation of 2010 ADAAG §§902, 902.1, 902.2, 902.3, and/or §4.32.4 of the 1991 ADA Standards.
- u. Providing counter heights exceeding 36 inches making it impossible to service a person with a disability in violation of 2010 ADAAG §§ 904, 904.4, 904.4.1, 904.4.2, 305 and 306.

**Restaurant Seating inside and outside**

- v. Failure to provide seating for a person(s) with a disability that has the correct clear floor space for forward approach in violation of 2010 ADAAG §§ 902, 902.2, 305 and 306.
- w. Failure to provide a sufficient amount of seating when dining surfaces are provided for the consumption of food or drink for a person(s) with a disability in violation of 2010 ADAAG §§ 226, 226.1, 902, 305 and 306.

45. Plaintiff has been damaged by the defendant's breach of the Settlement Agreement and the Addendum. Specifically, Plaintiff has had to retain the services of the undersigned attorney to pursue this action for breach of contract.

WHEREFORE, Plaintiff demands judgment against Defendant and requests the following injunctive and declaratory relief:

1. That this Court declares that Defendant has failed to comply with the Settlement Agreement and Addendum ;
2. That this Court enter an Order requiring Defendant to alter their facilities to make them accessible to and usable by individuals with disabilities to the full extent required by Title III of the ADA;

3. That this Court award reasonable attorney's fees, all costs (including, but not limited to the court costs and expert fees) and other expenses of suit to the Plaintiff and as provided in the Settlement Agreement and Addendum; and,
4. That this Court award such other and further relief as it may deem necessary, just and proper.

Dated June 15, 2023.

**Sconzo Law Office, P.A.**

3825 PGA Boulevard, Suite 207

Palm Beach Gardens, FL 33410

Telephone: (561) 729-0940

Facsimile: (561) 491-9459

By: /s/ Gregory S. Sconzo

GREGORY S. SCONZO, ESQUIRE

Florida Bar No.: 0105553

SAMANTHA L. SIMPSON, ESQUIRE

Florida Bar No.: 1010423

**Primary Email:** greg@sconzolawoffice.com

**Primary Email:** samantha@sconzolawoffice.com

**Secondary Email:** alexa@sconzolawoffice.com